Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific rcom OATING INNOVATIONS

88142 - Recoat Floor Anti-Chewing Gum

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 **Product identifier:** 88142 - Recoat Floor Anti-Chewing Gum Other means of identification: Non-applicable 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Acrylic paint. For professional users/industrial user only. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: Dercom BV Platinawerf 24A 6641 TL Beuningen - Netherlands Phone: +31 (0) 24 675 25 74 sds@dercom.nl www.dercom.nl 1.4 Emergency telephone number: +31 (0) 24 675 25 74 Mon-Fri 08:30 - 17:00 (CEST) SECTION 2: HAZARDS IDENTIFICATION ** Classification of the substance or mixture: 2.1 CLP Regulation (EC) No 1272/2008: The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008. 2.2 Label elements: CLP Regulation (EC) No 1272/2008: Hazard statements: Non-applicable **Precautionary statements:** Non-applicable Supplementary information: EUH208: Contains 1,2-benzisothiazol-3(2H)-one, 2-methylisothiazol-3(2H)-one, Hydroxyphenyl benzotriazol derivative. May produce an allergic reaction. EUH210: Safety data sheet available on request. 2.3 Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. ** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

Substance: 3.1

Non-applicable

3.2 Mixture: Chemical description: Acrylic copolymer in aqueous solution **Components:** In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

** Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

88142 - Recoat Floor Anti-Chewing Gum

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued) Chemical name/Classification Concentration Identification CAS: 1569-01-3 1-propoxypropan-2-ol⁽¹⁾ Self-classified EC: 216-372-4 1 - <2,5 % Index: Non-applicable Eye Irrit. 2: H319; Flam. Liq. 3: H226 - Warning Regulation 1272/2008 REACH: 01-2119474443-37-XXXX CAS: 107-98-2 1-methoxy-2-propanol⁽¹⁾ ATP ATP01 203-539-1 EC: 1 - <2.5 % Index: 603-064-00-3 Flam. Lig. 3: H226; STOT SE 3: H336 - Warning REACH: 01-2119457435-35-Regulation 1272/2008 XXXX CAS: Non-applicable Hydroxyphenyl benzotriazol derivative⁽¹⁾ ATP CLP00 EC: 400-830-7 0.5 - <1 % Index 607-176-00-3 Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Warning (!) 🚯 Regulation 1272/2008 REACH: 01-0000015075-76-XXXX 2634-33-5 CAS: 1,2-benzisothiazol-3(2H)-one⁽¹⁾ ATP CLP00 EC: 220-120-9 0,0015 -Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; 613-088-00-6 Index: <0,025 % Regulation 1272/2008 REACH: 01-2120761540-60-Skin Sens. 1: H317 - Danger XXXX CAS: 2682-20-4 2-methylisothiazol-3(2H)-one⁽¹⁾ ATP ATP13 220-239-6 EC: <0,0015 % Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Index: 613-326-00-9 Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317; Regulation 1272/2008 REACH: 01-2120764690-50-EUH071 - Danger XXXX (1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification				M-factor	
2-methylisothiazol-3(2H)-one			Acute	10	
CAS: 2682-20-4 EC: 220-239-6			Chronic	1	
Identifica	tion	S	pecific concentra	ation limit	
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9		% (w/w) >=0,05: Skin Se	ens. 1 - H317	TINNS	
2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6		% (w/w) >=0,0015: Skin	Sens. 1A - H31	7	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. **By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.


By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



88142 - Recoat Floor Anti-Chewing Gum

SECTION 4: FIRST AID MEASURES (continued)

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

88142 - Recoat Floor Anti-Chewing Gum

SECTION 7: HANDLING AND STORAGE (continued)

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Minimum Temp.: 10 °C

Maximum Temp.: 30 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	itional exposure lir	nits
1-methoxy-2-propanol	IOELV (8h)	100 ppm	375 mg/m ³
CAS: 107-98-2 EC: 203-539-1	IOELV (STEL)	150 ppm	568 mg/m ³

DNEL (Workers):

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
1-propoxypropan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1569-01-3	Dermal	Non-applicable	Non-applicable	82,5 mg/kg	Non-applicable	
EC: 216-372-4	Inhalation	Non-applicable	Non-applicable	263 mg/m ³	Non-applicable	
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	183 mg/kg	Non-applicable	
EC: 203-539-1	Inhalation	553,5 mg/m ³	553,5 mg/m ³	369 mg/m ³	Non-applicable	
Hydroxyphenyl benzotriazol derivative	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable	
EC: 400-830-7	Inhalation	Non-applicable	Non-applicable	0,35 mg/m ³	Non-applicable	
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,966 mg/kg	Non-applicable	
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6,81 mg/m ³	Non-applicable	
2-methylisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 220-239-6	Inhalation	Non-applicable	0,043 mg/m ³	Non-applicable	0,021 mg/m ³	



legislation

88142 - Recoat Floor Anti-Chewing Gum

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
1-propoxypropan-2-ol	Oral	Non-applicable	Non-applicable	11 mg/kg	Non-applicable
CAS: 1569-01-3	Dermal	Non-applicable	Non-applicable	36 mg/kg	Non-applicable
EC: 216-372-4	Inhalation	Non-applicable	Non-applicable	38 mg/m ³	Non-applicable
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	33 mg/kg	Non-applicable
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	78 mg/kg	Non-applicable
EC: 203-539-1	Inhalation	Non-applicable	Non-applicable	43,9 mg/m ³	Non-applicable
Hydroxyphenyl benzotriazol derivative	Oral	Non-applicable	Non-applicable	0,025 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable
EC: 400-830-7	Inhalation	Non-applicable	Non-applicable	0,085 mg/m ³	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m ³	Non-applicable
2-methylisothiazol-3(2H)-one	Oral	0,053 mg/kg	Non-applicable	0,027 mg/kg	Non-applicable
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-239-6	Inhalation	Non-applicable	0,043 mg/m ³	Non-applicable	0,021 mg/m ³

PNEC:

Identification				
1-propoxypropan-2-ol	STP	4 mg/L	Fresh water	0,1 mg/L
CAS: 1569-01-3	Soil	0,018 mg/kg	Marine water	0,01 mg/L
EC: 216-372-4	Intermittent	1 mg/L	Sediment (Fresh water)	0,386 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,039 mg/kg
1-methoxy-2-propanol	STP	100 mg/L	Fresh water	10 mg/L
CAS: 107-98-2	Soil	4,59 mg/kg	Marine water	1 mg/L
EC: 203-539-1	Intermittent	100 mg/L	Sediment (Fresh water)	52,3 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	5,2 mg/kg
Hydroxyphenyl benzotriazol derivative	STP	10 mg/L	Fresh water	0,002 mg/L
CAS: Non-applicable	Soil	2 mg/kg	Marine water	0 mg/L
EC: 400-830-7	Intermittent	0,028 mg/L	Sediment (Fresh water)	3,37 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,337 mg/kg
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00499 mg/kg
2-methylisothiazol-3(2H)-one	STP	0,23 mg/L	Fresh water	0,00339 mg/L
CAS: 2682-20-4	Soil	0,047 mg/kg	Marine water	0,00339 mg/L
EC: 220-239-6	Intermittent	0,00339 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal. B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

- CONTINUED ON NEXT PAGE -

C.- Specific protection for the hands

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

COATING INNOVATIONS

88142 - Recoat Floor Anti-Chewing Gum

total reliabil D Eye and fac Pictogra Mandatory protection E Body protection Pictogra F Additional et Emerge Emerge Environmenta In accordance of spillage of both Volatile organ With regard to V.O.C. (Sup	hand luct is a mixtu lity and has the ce protection m Panora spla face ction m Anti emergency me noy measure	PPE PPE Work clothing i-slip work shoes easures St ANS			Remarks Replace before any evidence of deterioration. Fiperiods of prolonged exposure to the product fiperiods of prolonged exposure to the product in recommended, in accordance with the regulatio in EN ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Fiperiods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 20345:2012 y EN 13832-1:2007 measure Standards
As the production As the production D Eye and face Pictogra Mandatory protection E Body protection Pictogra F Additional et Emerge Emerge Environmenta In accordance of spillage of both Volatile organ With regard to V.O.C. (Sup	hand hand huct is a mixtu lity and has the ce protection m Panora spla face ction m Anti emergency me hory measure ency shower	minor risks ree of several substance of several sub	Ecked prior to the Labelling CAT II Labelling CAT II CAT II CAT II	EN ISO 20347:2012	prolonged periods of exposure to the product for professional users/industrials, we recommend us CE III gloves in line with standards EN 420:2004 A1:2010 and EN ISO 374-1:2016+A1:2018 material can not be calculated in advance with Clean daily and disinfect periodically according it the manufacturer 's instructions. Use if there is risk of splashing. Remarks Replace before any evidence of deterioration. Fe periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Fe periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 6529:2013, EN 160 6530:2005, EN IS 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Fe periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 20345:2012 y EN 13832-1:2007 measure Standards
total reliabil D Eye and fac Pictogra Mandatory protection E Body protection Pictogra F Additional et Emerge Emvironmenta In accordance of spillage of both Volatile organ With regard to V.O.C. (Sup	lity and has the protection	PPE PPE Work clothing i-slip work shoes easures St ANS	Ecked prior to the Labelling CAT II Labelling CAT II CAT II CAT II	EN ISO 20347:2012	Remarks Clean daily and disinfect periodically according the manufacturer's instructions. Use if there is risk of splashing. Replace before any evidence of deterioration. Fiperiods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 6529:2013, EN ISO 6530:2005, EN ISI 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Fiperiods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 6529:2013, EN ISO 6530:2005, EN ISI 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Fiperiods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 20345:2012 y EN 13832-1:2007 measure Standards
E Body protection F Additional end Emergent Environmenta In accordance of spillage of both Volatile organ With regard to V.O.C. (Sup	Panora spla ction m Anti emergency me ncy measure	PPE Work clothing i-slip work shoes Easures	Labelling CAT II Labelling CAT I CAT II CAT II CAT II SI Z358-1	EN 166:2002 EN ISO 4007:2018 CEN Standard EN ISO 20347:2012 Emergency	Clean daily and disinfect periodically according it the manufacturer's instructions. Use if there is risk of splashing. Replace before any evidence of deterioration. Fiperiods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Fiperiods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2013, EN 464:1994. Replace before any evidence of deterioration. Fiperiods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 20345:2012 y EN 13832-1:2007 measure Standards
E Body protection E Body protection Pictogram Pictogram Pictogram Pictogram Pictogram F Additional end Emergent	face in spla face ction m Anti emergency me ncy measure in ency shower	Ash/projections.	CAT I CAT II CAT II tandards	EN ISO 4007:2018 CEN Standard EN ISO 20347:2012 Emergency	the manufacturer's instructions. Use if there is risk of splashing. Remarks Replace before any evidence of deterioration. Free periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Free periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 20345:2012 y EN 13832-1:2007 measure Standards
F Additional e	m Anti emergency me ncy measure ency shower	Work clothing i-slip work shoes easures St	CAT I CAT II CAT II tandards	EN ISO 20347:2012 Emergency	Replace before any evidence of deterioration. Fr periods of prolonged exposure to the product fr professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Fr periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 20345:2012 y EN 13832-1:2007
F Additional e Emerge Emerge Environmenta In accordance spillage of both Volatile organ With regard to V.O.C. (Sup	Anti emergency me ncy measure	Work clothing i-slip work shoes easures St	CAT I CAT II CAT II tandards	EN ISO 20347:2012 Emergency	Replace before any evidence of deterioration. Fr periods of prolonged exposure to the product fr professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994. Replace before any evidence of deterioration. Fr periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 20345:2012 y EN 13832-1:2007
Environmenta Environmenta In accordance spillage of both Volatile organ With regard to V.O.C. (Sup	emergency me ncy measure	easures St ANS	tandards SI Z358-1	Emergency	 Replace before any evidence of deterioration. Free periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 20345:2012 y EN 13832-1:2007 measure Standards
Environmenta Environmenta In accordance spillage of both Volatile organ With regard to V.O.C. (Sup	ncy measure	St	SI Z358-1		+
Emerge Environmenta In accordance spillage of both Volatile organ With regard to V.O.C. (Sup	ency shower	ANS	SI Z358-1		+
Environmenta In accordance spillage of both Volatile organ With regard to V.O.C. (Sup					
Environmenta In accordance spillage of both Volatile organ With regard to V.O.C. (Sup			,	11 Eyewash s	ISO 3864-1:2011, ISO 3864-4:2011
In accordance spillage of both Volatile organ With regard to V.O.C. (Sup	ai exposure	controls:			
V.O.C. (Sup	n the product a	munity legislation and its container. Ids:	For additional in	nformation see subse	
	Directive 201	0/75/EU, this proc	duct has the fol	lowing characteristic	S:
V.O.C. dens		5,45	% weight		
	sity at 20 °C:	63,53	3 kg/m³ (63,53	5 g/L)	
Average ca	rbon number:	6,03			
Average mo	plecular weigh	nt: 116,6	59 g/mol		
SECTION 9: PHYSI	CAL AND CI	HEMICAL PROP	PERTIES		
9.1 Information	on basic phy	sical and chemi	ical properties	5:	
For complete in	nformation see	e the product data	asheet.		
Appearance:					
Physical state a	at 20 °C:		Liqui	id	
Appearance:			Not a	available	
Colour:			Not a	available	
Odour:			Not a	available	
*Not relevant due	to the nature of	the product, not prov	viding information p	property of its hazards.	
				ON NEXT PAGE -	



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

88142 - Recoat Floor Anti-Chewing Gum

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	107 °C
	Vapour pressure at 20 °C:	2305 Pa
	Vapour pressure at 50 °C:	12145,7 Pa (12,15 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1166,6 kg/m³
	Relative density at 20 °C:	1,167
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	237 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

88142 - Recoat Floor Anti-Chewing Gum

SECTION 10: STABILITY AND REACTIVITY (continued)

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

10.5

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable
Incompatible materials	:			

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.


- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

- IARC: propan-2-ol (3); d-limonene (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

** Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Percom

88142 - Recoat Floor Anti-Chewing Gum

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
 - it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	<i>۴</i>	cute toxicity	Gen
1-propoxypropan-2-ol	LD50 oral	2504 mg/kg	Ra
CAS: 1569-01-3	LD50 dermal	3550 mg/kg	Rabl
EC: 216-372-4	LC50 inhalation	Non-applicable	
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Ra
CAS: 2634-33-5	LD50 dermal	Non-applicable	
EC: 220-120-9	LC50 inhalation	Non-applicable	
2-methylisothiazol-3(2H)-one	LD50 oral	120 mg/kg	Ra
CAS: 2682-20-4	LD50 dermal	242 mg/kg	Ra
EC: 220-239-6	LC50 inhalation	Non-applicable	

Endocrine disrupting properties Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus	
1-propoxypropan-2-ol	LC50	Non-applicable			
CAS: 1569-01-3	EC50	Non-applicable			
EC: 216-372-4	EC50	1466 mg/L (96 h)	Pseudokirchneriella subcapitata	Algae	
1-methoxy-2-propanol	LC50	20800 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 107-98-2	EC50	23300 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 203-539-1	EC50	1000 mg/L (168 h)	Selenastrum capricornutum	Algae	
Hydroxyphenyl benzotriazol derivative	LC50	>1 - 10 mg/L (96 h)		Fish	
CAS: Non-applicable	EC50	>1 - 10 mg/L (48 h)		Crustacean	
EC: 400-830-7	EC50	>1 - 10 mg/L (72 h)		Algae	
1,2-benzisothiazol-3(2H)-one	LC50	>0.1 - 1 mg/L (96 h)		Fish	
CAS: 2634-33-5	EC50	>0.1 - 1 mg/L (48 h)		Crustacean	
EC: 220-120-9	EC50	>0.1 - 1 mg/L (72 h)		Algae	

** Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

88142 - Recoat Floor Anti-Chewing Gum

	Identification		Concentration		Spe	ecies		Genus
	2-methylisothiazol-3(2H)-one	LC50	4,77 mg/L (96 h)		Oncorhynd	chus mykis	SS	Fish
	CAS: 2682-20-4	EC50	0,934 mg/L (48 h)		Daphni	a magna		Crustacean
	EC: 220-239-6	EC50	Non-applicable					
	Chronic toxicity:							
	Identification		Concentration		Spe	ecies		Genus
	2-methylisothiazol-3(2H)-one	NOEC	4,93 mg/L		Oncorhynd	chus mykis	s	Fish
	CAS: 2682-20-4 EC: 220-239-6	NOEC	0,044 mg/L		Daphni	a magna		Crustacean
2.2	Persistence and degradability:							
	Substance-specific information:							
	Identification	D	egradability		Bi	odegradat	oility	
	1-propoxypropan-2-ol	BOD5	Non-applicable	Conce	entration		Non-ap	plicable
	CAS: 1569-01-3	COD	Non-applicable	Perioc			28 days	5
	EC: 216-372-4	BOD5/COD	Non-applicable	% Bio	degradable		91,5 %	
	1-methoxy-2-propanol	BOD5	Non-applicable	Conce	entration		100 mg	/L
	CAS: 107-98-2	COD	Non-applicable	Perioc			28 days	5
	EC: 203-539-1	BOD5/COD	Non-applicable	% Bio	degradable		90 %	
	1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Conce	entration		100 mg	/L
	CAS: 2634-33-5	COD	Non-applicable	Perioc	I		28 days	6
	EC: 220-120-9	BOD5/COD	Non-applicable	% Bio	degradable		0 %	
	2-methylisothiazol-3(2H)-one	BOD5	Non-applicable	Conce	entration		10 mg/	
	CAS: 2682-20-4	COD	Non-applicable	Perioc	1		28 days	;
	EC: 220-239-6	BOD5/COD	Non-applicable	% Bio	degradable		55,8 %	
	1-propoxypropan-2-ol	fication		BCF		cumulatio		
	CAS: 1569-01-3			Pov	v Log	0.62		
	EC: 216-372-4			Pot	ential	Low		
	1-methoxy-2-propanol			BCF	:	3		
	CAS: 107-98-2			Pov	v Log	-0.44		
	EC: 203-539-1			Pot	ential	Low		
	1.2 handiasthianal 2(20) and			BC	:	2		
	1,2-benzisothiazol-3(2H)-one					1.45		
	CAS: 2634-33-5			Pov	v Log			
					v Log ential	Low		
	CAS: 2634-33-5				ential			
	CAS: 2634-33-5 EC: 220-120-9			Pot BCF	ential			
	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one			Pot BCF Pov	ential =	Low		
2.4	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4			Pot BCF Pov	ential = v Log	Low		
2.4	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6	Ab:	sorption/desorption	Pot BCF Pov	ential = v Log	Low	ility	
2.4	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6 Mobility in soil:	Кос	3	Pot BCF Pov Pot	ential - v Log ential Henry	Low -0.49	3,506E-	3 Pa·m³/mol
2.4	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6 Mobility in soil: Identification 1-propoxypropan-2-ol CAS: 1569-01-3		3 Very High	Pot BCF Pov Pot	ential - ential Henry Dry soil	Low -0.49	3,506E- Non-ap	plicable
2.4	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6 Mobility in soil: Identification 1-propoxypropan-2-ol	Кос	3 Very High Non-applicable	Pot BCF Pov Pot	ential - v Log ential Henry	Low -0.49	3,506E- Non-ap Non-ap	plicable
2.4	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6 Mobility in soil: Identification 1-propoxypropan-2-ol CAS: 1569-01-3 EC: 216-372-4 2-methylisothiazol-3(2H)-one	Koc Conclusion Surface tension Koc	3 Very High Non-applicable Non-applicable	Pot BCF Pov Pot	ential v Log ential Henry Dry soil Moist soil Henry	Low -0.49	3,506E- Non-ap Non-ap 0E+0 P	plicable plicable a·m³/mol
2.4	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6 Mobility in soil: Identification 1-propoxypropan-2-ol CAS: 1569-01-3 EC: 216-372-4 2-methylisothiazol-3(2H)-one CAS: 2682-20-4	Koc Conclusion Surface tension Koc Conclusion	3 Very High Non-applicable Non-applicable Non-applicable	Pot BCF Pov Pot	ential - v Log ential Henry Dry soil Henry Dry soil Dry soil	Low -0.49	3,506E- Non-ap Non-ap 0E+0 P Non-ap	plicable plicable a·m³/mol plicable
	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6 Mobility in soil: Identification 1-propoxypropan-2-ol CAS: 1569-01-3 EC: 216-372-4 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6	Koc Conclusion Surface tension Koc Conclusion Surface tension	3 Very High Non-applicable Non-applicable Non-applicable	Pot BCF Pov Pot	ential v Log ential Henry Dry soil Moist soil Henry	Low -0.49	3,506E- Non-ap Non-ap 0E+0 P	plicable plicable a·m³/mol plicable
	CAS: 2634-33-5 EC: 220-120-9 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6 Mobility in soil: Identification 1-propoxypropan-2-ol CAS: 1569-01-3 EC: 216-372-4 2-methylisothiazol-3(2H)-one CAS: 2682-20-4	Koc Conclusion Surface tension Koc Conclusion Surface tension	3 Very High Non-applicable Non-applicable Non-applicable	Pot BCF Pov Pot	ential - v Log ential Henry Dry soil Henry Dry soil Dry soil	Low -0.49	3,506E- Non-ap Non-ap 0E+0 P Non-ap	plicable plicable a·m³/mol plicable

** Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

88142 - Recoat Floor Anti-Chewing Gum

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

SECTION 15: REGULATORY INFORMATION **

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one, Pyridine-2-thiol 1-oxide, sodium salt, 2-methylisothiazol-3(2H)-one.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; 2-methylisothiazol-3 (2H)-one (Product-type 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Contains Octamethylcyclotetrasiloxane. 1. | Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. | 2. | For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.'

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

88142 - Recoat Floor Anti-Chewing Gum

SECTION 15: REGULATORY INFORMATION ** (continued)

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

** Changes with regards to the previous version

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

New declared substances

1,2-benzisothiazol-3(2H)-one (2634-33-5)

2-methylisothiazol-3(2H)-one (2682-20-4)

Removed substances

Dipropylene Glycol Methyl Ether (34590-94-8)

- 2-ethylhexanol (104-76-7)
- octhilinone (ISO) (26530-20-1)

Substances that contribute to the classification (SECTION 2):

- Removed substances
- octhilinone (ISO) (26530-20-1)
- CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):
 - Pictograms
 - · Hazard statements
 - · Precautionary statements
 - · Supplementary information
 - Substances contained in EUH208:
 - New declared substances
 - 1,2-benzisothiazol-3(2H)-one (2634-33-5)
 - 2-methylisothiazol-3(2H)-one (2682-20-4)
- **REGULATORY INFORMATION (SECTION 15):**

· Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc)

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H330 - Fatal if inhaled. Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.

- Acute Tox. 4: H302 Harmful if swallowed.
- Aquatic Acute 1: H400 Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Non-applicable

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

** Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

88142 - Recoat Floor Anti-Chewing Gum

SECTION 16: OTHER INFORMATION ** (continued) http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer



** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.